

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
TRANSMITTALIn re Application of:
For:
Serial No.:
Filed:Jamar et al
METHOD AND APPARATUS FOR DISPLAYING INFORMATION RETRIEVED FROM AN IMPLANTED MEDICAL DEVICE
09/737,115
December 14, 2000

CERTIFICATE UNDER 37 CFR §1.8 I hereby certify that this Response and Transmittal and the paper(s), as described herein are being deposited with the United States Postal Service, in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231, on this 5th day of June, 2001.

Signature

Jennifer Bommentre

Printed Name

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

We are transmitting herewith the attached:


- X RESPONSE Transmittal
- X RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS
- X SUBSTITUTE DRAWINGS
- X COPY OF NOTICE TO FILE CORRECTED APPLICATION PAPERS
- X Return Postcard

X Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked on this Amendment Transmittal with regard to this filing. A duplicate of this transmittal is enclosed.

X Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time.

Date

06/05/01


GIRMA WOLDE-MICHAEL, Reg. No. 36,724
MEDTRONIC, INC.
710 Medtronic Parkway NE
Minneapolis, Minnesota 55432-5604
Telephone: (763) 514-6402



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Jamar et al Docket: P9227
Serial No.: 09/737,115 Group Art: 3762
Filed: December 14, 2000 Examiner: --
Title: METHOD AND APPARATUS FOR DISPLAYING INFORMATION
RETRIEVED FROM AN IMPLANTED MEDICAL DEVICE

Honorable Commissioner
For Patents and Trademarks
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Sir:

In response to the Notice to File Corrected Application papers mailed May 7, 2001, applicants respectfully enclose substitute drawings in accordance with 37 CFR 1.84 for examination.

The Notice cited 37 CFR 1.84 because the drawing sheets originally submitted did not have the correct margins. This has been corrected, and the substitute drawing sheets are enclosed, along with a copy of the Notice.

Respectfully submitted,

Jamar et al
By their attorneys,

06/05/01
Date

Girma Wolde-Michael
Atty: GIRMA WOLDE-MICHAEL
Reg. No.36,724
MEDTRONIC, INC.
7000 Central Avenue N.E.
Minneapolis, Minnesota 55432
(763) 514-6402



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/737,115	12/14/2000	Pamela Jamar	P-9227.00

CONFIRMATION NO. 8509

FORMALITIES LETTER



OC000000006045259

GIRMA WOLDE-MICHAEL
Medtronic, Inc., MS 301
7000 Central Avenue NE
Minneapolis, MN 55432

Date Mailed: 05/07/2001

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on to the Notice mailed and it has been entered into the nonprovisional application. The reply, however, doesnot include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may,however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a)accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE